



## PRODUCT INFORMATION BULLETIN

Date: December 1, 2013  
Number: 6405  
Division: Genie  
Product Family: Residential Openers  
Product Series: Residential Openers  
To: All Genie Professional Line Wholesalers, Dealers and Installers  
Re: Introducing the ReliaG® 650 & 850

---

The Genie Company is proud to introduce 2 new opening price point openers!

- Quiet, 24 Volt, DC motors
- Uses the same programming as the IntelliG®, TriloG™ and GPower™ openers!
- Uses the same C-channel chain and belt rails as the IntelliG! (7' & 8')
- Dual frequency design (315/390 MHz)
- Soft start/soft stop (850 model only)
- Opening speed of 7.0"/sec for 850\*  
Opening speed of 6.5"/sec for 650\*
- Lighter weight and more compact than the current 1024/2024
- Compatible with all current accessories *(does not include network items or BBU)*
- (1) 60-watt bulb required
- 6' cord optional
- New 1 Button Remote Available Standard in the 1028 *(PIB 6686)*



## ReliaG 850, Model 2028

### Part Numbers:

- 38480S for Standard Cord
- 38480W for 6' Cord Option



## ReliaG 650, Model 1028

### Part Numbers:

- 38480R for Standard Cord
- 38480V for 6' Cord Option



*Please view the following brochures on the ReliaG 650 and 850*



PROFESSIONAL LINE



**RELIAG<sup>®</sup> 650**

**GARAGE DOOR OPENER**

Value and Reliability



# RELIA G<sup>®</sup> 650 GARAGE DOOR OPENER

1028/1028H



Value and Reliability

- **POWERFUL:** ½ HPc\* motor operates most residential sectional doors weighing up to 350 lbs.
- **QUIET:** DC motor and C-channel rail for quiet operation.
- **SMART ILLUMINATION:** Light positioned toward inside of garage gives illumination where you need it most.

For use on residential applications with sectional doors up to 8' high and up to 350 lbs. in weight.

1028						
1/2 HPc*						
	WALL BUTTON	1-BUTTON REMOTE	MOTOR <sup>†</sup>	RAIL (BELT DRIVE <sup>†</sup> )	RAIL (CHAIN DRIVE <sup>†</sup> )	PARTS AND ACCESSORIES <sup>†</sup>

## Standard Features

### DC Motor Technology - Control

DC motor allows for quiet operation.



### Belt or Chain Drive - Flexibility

Choose the drive option that best fits your needs.



### C-Channel Rail - Better Construction

Strong rail design that also helps conceal rotating belt or chain for better aesthetics.



### Auto Seek Dual Frequency - Reliability

System automatically seeks either the 315 or 390 MHz frequency produced by the remote, depending on nearby frequency interference.



### Intellicode<sup>®</sup> Access Security System - Security

Featuring our superior encryption technology (rolling codes) that prevents piracy of the radio signal that opens your garage door by continually selecting a new code from billions of combinations.



### Safe-T-Beam<sup>®</sup> Non-Contact Reversing System - Safety

Puts an invisible beam across the door opening. The door stops & reverses to full open position if anything passes through the beam. LED indicator lights on powerhead & safety beams provide self-diagnostic code if an operational problem exists.



### Lighting - Convenience

Light positioned toward inside of garage instead of garage door to give illumination where you need it most. Compatible with most CFL and LED light bulbs.



### Programming - Ease-of-Use

Pre-programmed remote is ready to use out-of-the-box. (Simple steps to change programming if desired.)

### Automobile Convenience Features - Convenience

Compatible with both HomeLink<sup>®</sup> and Car2U<sup>®</sup> systems.



One Door Drive, Mt. Hope, Ohio 44660

1.800.843.4084 • [www.GenieCompany.com](http://www.GenieCompany.com)

Item G001.0081

## Convenience Options

Enjoy your new Genie garage door opener to the fullest with these optional accessories.

### Wireless Keypad

Lighted keypad features a flip-up cover and lets you control up to 3 garage door openers. Choose the color for the flip-up cover that best complements your home.



### Three-Button Remote

This sleek and compact remote can operate up to 3 doors. It comes with a visor clip, can be used with a key ring, and has a low-battery indicator light.



### 6' Power Cord

For harder-to-reach outlets, this model has a 6' cord attached instead of the standard 4' cord. (Model 1028H)



## Dealer Services

Your Genie Dealer is available to answer any questions you have on this or any Genie product. Call today to set up an appointment to view this innovative product.

SOLD AND DISTRIBUTED BY:





PROFESSIONAL LINE



## RELIAG<sup>®</sup> 850

GARAGE DOOR OPENER

Value and Reliability





# RELIA G<sup>®</sup> 850 GARAGE DOOR OPENER

Power, Value and Reliability

2028/2028H



- **POWERFUL:** 1/2 HPc\* Power Plus motor operates most residential sectional doors weighing up to 500 lbs.
- **QUIET:** DC motor featuring Soft Start-Soft Stop control combines with C-channel rail for quiet operation.
- **SMART ILLUMINATION:** Light positioned toward inside of garage gives illumination where you need it most.

For use on residential applications with sectional doors up to 8' high and up to 500 lbs. in weight.

2028	WALL CONSOLE	3-BUTTON REMOTE	<b>GENIE</b> 10 YEAR LIMITED WARRANTY MOTOR <sup>†</sup>	<b>GENIE</b> 15 YEAR LIMITED WARRANTY RAIL (BELT DRIVE) <sup>†</sup>	<b>GENIE</b> 5 YEAR LIMITED WARRANTY RAIL (CHAIN DRIVE) <sup>†</sup>	<b>GENIE</b> 1 YEAR LIMITED WARRANTY PARTS AND ACCESSORIES <sup>†</sup>
------	--------------	-----------------	--	--	--	---

## Standard Features

### DC Motor Technology - Control & Quiet

DC motor allows for variable speed control and quiet operation, including Soft Start-Soft Stop for smoother door movement.



### Belt or Chain Drive - Flexibility

Choose the drive option that best fits your needs.



### C-Channel Rail - Better Construction

Strong rail design that also helps conceal rotating belt or chain for better aesthetics.



### Auto Seek Dual Frequency - Reliability

System automatically seeks either the 315 or 390 MHz frequency produced by the remote, depending on nearby frequency interference.



### Intellicode<sup>®</sup> Access Security System - Security

Featuring our superior encryption technology (rolling codes) that prevents piracy of the radio signal that opens your garage door by continually selecting a new code from billions of combinations.



### Safe-T-Beam<sup>®</sup> Non-Contact Reversing System - Safety

Puts an invisible beam across the door opening. The door stops & reverses to full open position if anything passes through the beam. LED indicator lights on powerhead & safety beams provide self-diagnostic code if an operational problem exists.



### Lighting - Convenience

Light positioned toward inside of garage instead of garage door to give illumination where you need it most. Compatible with most CFL and LED light bulbs.



### Programming - Ease-of-Use

Pre-programmed remote is ready to use out-of-the-box. (Simple steps to change programming if desired.)

### Automobile Convenience Features - Convenience

Compatible with both HomeLink<sup>®</sup> and Car2U<sup>®</sup> systems.



## Convenience Options

Enjoy your new Genie garage door opener to the fullest with these optional accessories.

### Wireless Keypad

Lighted keypad features a flip-up cover and lets you control up to 3 garage door openers. Choose the color for the flip-up cover that best complements your home.



### GenieMaster<sup>®</sup> Remote

This versatile remote works with all Genie gated community receivers as well as most Genie openers ever made, including Genie 390 MHz remotes on 9-switch, 12-switch, and 9-switch trinary formats. It also is compatible with those models that have Auto Seek Dual Frequency.



### 6' Power Cord

For harder-to-reach outlets, this model has a 6' cord attached instead of the standard 4' cord. (Model 2028H)



## Dealer Services

Your Genie Dealer is available to answer any questions you have on this or any Genie product. Call today to set up an appointment to view this innovative product.

SOLD AND DISTRIBUTED BY:

One Door Drive, Mt. Hope, Ohio 44660  
1.800.843.4084 • www.GenieCompany.com  
Item G001.0082

© 2013 The Genie Company. Genie, Intellicode, Safe-T-Beam, ReliaG and the Genie logo are registered trademarks of GMI Holdings, Inc., dba The Genie Company. Consistent with our policy of continuing product improvement we reserve the right to change product specifications without notice or obligation.



\*1/2 Horsepower comparable (HPc) Power Plus designates that this garage door opener exceeds Genie's lifting force specification for 1/2 horsepower garage door openers.  
<sup>†</sup>Limited, non-transferable warranty. See owner's manual for details.